| <b>₹</b> ĒĊ(≀*  | •  | page con-  | BELL   | 300   | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
|---|--|--|--|---|---|
| AD-A219 6   | 96 ENTATIO   | N PAGE   |  |   | Form Approved<br>OMB No 070 -0188   |
| 1a. RE  | C  | 16 RESTRICTIVE P   |  |   |   |
| 28. SECURITY CLASSIFICATION AUTHORITY   | LECTE -  |  | AVAILABILITY OF  |   |   |
| 26. DECLASSIFICATION / DOWNGRADING CHEDU  | 15R20 1990   | is unlimi  | ited.  |   | e; distribution   |
| 4. PERFORMING ORGANIZATION REPORTING BEI  | D Ce   | 5 MONITORING   | ORGANIZATION RE  | PORT NU   | JMBER(S)  |
| 64. NAME OF PERFORMING ORGANIZATION   | 6b. OFFICE SYMBOL (If applicable)  | 7a. NAME OF MO   | NITORING ORGAN   | VIZATION  |   |
| USAF School of Aerospace<br>Medicine  | USAFSAM/EKEN   | }  |  |   |   |
| 6c. ADDRESS (City, State, and ZIP Code)   | OSM SMITTER  | 76. ADDRESS (Cit   | y, State, and ZIP C  | ode)  |   |
| Human Systems Division (AFSC)<br>Brooks Air Force Base, TX 782  | 235-5301   |  |  |   |   |
| 8. NAME OF FUNDING / SPONSORING ORGANIZATION USAF School of   | 8b. OFFICE SYMBOL (If applicable)  | 9 PROCUREMENT  | INSTRUMENT IDE   | NTIFICAT  | TON NUMBER  |
| Aerospace Medicine  Sc. ADDRESS (City, State, and ZIP Code)   | USAFSAM/EKEN   | 10 SOURCE OF F   | UNDING NUMBER  | <u></u>   |   |
| Human Systems Division (AFSC)   |  | PROGRAM  | PROJECT  | TASK  | WORK UNIT   |
| Brooks Air Force Base, TX 782   | 235-5301   | 87714F   | NO.<br>SUPT  | NO<br>XX  | ACCESSION NO<br>EK  |
| 11. TITLE (Include Security Classification)   | souds of A-1 -   |  |  |   |   |
| Re<br>fr  | ecords of <u>Aedes</u><br>rom the U.S. Air   |  |  |   |   |
| 12. PERSONAL AUTHOR(S)  McHugh, Chac  | d P., and Hanny,   | Paul A.  |  |   |   |
|   | OVERED<br><u>/01/0</u> 1to <u>89/12/</u> 31  | 14. DATE OF REPO   | RT (Year, Month, I   | Day) 15   | i. PAGE COUNT<br>8  |
| 16. SUPPLEMENTARY NOTATION  |  |  |  |   |   |
| 17. COSATI CODES  | 18. SUBJECT TERMS (  |  |  |   |   |
| FIELD GROUP SUB-GROUP   |  | urveillance;<br>eriatus, Aede  |  |   | Aedes aegypti,<br>apping  |
|   | <u> </u>   |  |  |   | ··  |
| During 1989, 2,864 ovipaddles the San Antonio Metropolitan H Division, USAF School of Aeros Eleven installations were posiat Arnold AFB, TN, represents positive for Aedes aegypti. E Overall, there was an increase from 2.7% in 1988 to 8.8% in 1 positive ovipaddles from 4.4% | from 36 U.S. Ai Health District, space Medicine, itive for Aedes a new county relighteen installe in the percent 1989. There was | r Force insta<br>TX, were sul<br>Brooks Air Fo<br>albopictus.<br>cord for tha<br>ations were p<br>age of ovipad<br>increase in | omitted to to corce Base (A The collect species. positive for ddles positi | he Epi<br>FB), T<br>ion of<br>Ten in<br>Aedes<br>ve for | demiology X, for processing Aedes albopictus stallations were triseriatus. Aedes albopictus |
| 20 DISTRIBUTION / AVAILABILITY OF ABSTRACT  CUNCLASSIFIED/UNLIMITED  SAME AS I  | RPT DTIC USERS   |  | CURITY CLASSIFIC.  | ATION   |   |
| 222 NAME OF RESPONSIBLE INDIVIDUAL WILLIAM H. WOLFE, Colonel, USA   |  |  | Include Area Code  |   | OFFICE SYMBOL<br>AFSAM/EK   |
| DO Form 1472 HIN 96   |  |  | CCCLOUTY   |   | ATION OF THIS PAGE  |

Correspondence to:


C.P. McHugh USAFSAM/EKEN Brooks AFB, TX 78235-5301 submitted for publication as a scientific note in the:

Journal of the American Mosquito Control Assoc.

Records of <u>Aedes albopictus</u>, <u>Ae. aegypti</u> and <u>Ae. triseriatus</u> from the U.S. Air Force Ovitrapping Program - 1989

C.P. McHugh and P.A. Hanny

Epidemiology Division, USAF School of Aerospace Medicine,
Human Systems Division (AFSC), Brooks AFB, TX 78235-5301





Ovitrapping to monitor container-breeding <u>Aedes</u> is conducted at numerous United States Air Force (USAF) installations in the eastern, midwestern, and southern United States. During 1988, 2,045 ovipaddles were collected by 37 organizations and 3 three new county records for <u>Aedes albopictus</u> (Skuse) were established (McHugh and Vande Berg 1989). The following summarizes the results of the USAF ovitrapping program during 1989.

Ovipaddles collected at USAF installations in the contiguous 48 states were shipped to the Medical Entomology Section, Epidemiology Division, USAF School of Aerospace Medicine (USAFSAM), Brooks Air Force Base (AFB), TX, for examination. Eggs present on the ovipaddles were tentatively identified as Aedes triseriatus (Say) or Aedes (Stegomyia) spp. Seven to 10 days post receipt, eggs were hatched in a 1:1 mixture of tap:distilled water and reared on liver powder to provide specimens for specific identification.

During 1989, 2,864 ovipaddles were submitted to USAFSAM by 36 USAF installations, Ft. Sam Houston, TX, and the San Antonio (TX) Metropolitan Health District (Table 1). Aedes albopictus-positive ovipaddles were submitted by 11 organizations. The collection of Ae. albopictus at Arnold AFB, was a new record for Coffee County, TN. Ovitrapping at Arnold AFB commenced in mid-May and continued through early October. The initial Ae. albopictus-positive ovipaddle at Arnold AFB was collected on August 3. The remaining positive ovipaddles at that base were collected in mid- to late September. A single ovipaddle with eggs identified as Ae. (Stegomyia) spp. was collected at Arnold AFB on October 3, the last collection day at the base. Arnold AFB is within the range of Aedes aegypti (Linn.) (Darsie and Ward 1981), but the yellow fever mosquito was not collected on the base in 1988 or 1989. The absence of Ae. aegypti suggests that the October 3 collection of Ae. (Stegomyia) spp. was Ae. albopictus, and indicates that the species was

active until at least early October in central Tennessee. During 1988, a single ovipaddle with Ae. (Stegomyia) spp. eggs was submitted by Arnold AFB (McHugh and Vande Berg 1989), but specimens could not be reared for specific identification. That collection suggests that Ae. albopictus may have been present in Coffee County as early as 1988. The collection of Ae. albopictus at England AFB, LA, was a new record for that base, but Ae. albopictus has been present in Rapides County since at least 1987 (Moore et al. 1982). The remaining 9 bases where Ae. albopictus was collected in 1989 had all reported this species previously. The average number of eggs on ovipaddles from which only Ae. albopictus were reared was 31.4.

Aedes aegypti was found by 10 organizations. Of these, Shaw AFB, SC, was the only base which had not recorded the presence of Ae. aegypti in the previous 3 years. Shaw AFB is within the range of Ae. aegypti, (Darsie and Ward 1981), and the failure to demonstrate that species is probably a reflection of the very modest surveillance effort at that base in recent years. The average number of eggs on ovipaddles from which only Ae. aegypti were reared was 24.1.

Both Ae. aegypti and Ae. albopictus were reared from 39 ovipaddles. Of these, 34 were submitted by the San in onio Metropolitan Health District, 2 were from Lackland AFB, TX, and 1 each came from Little Rock AFB, AR, Carswell AFB, TX, and Randolph AFB, TX. For the 37 ovipaddles which were collected in Bexar County, TX, (all except the Carswell AFB and Little Rock AFB ovipaddles), the average number of eggs on these dual-species ovipaddles was 49.7.

Overall, there was an increase in the percentage of ovipaddles positive for Ae. albopictus from 2.7% in 1988 to 8.8% in 1989. Similarly, there was an increase in the percentage of Ae. aegypti-positive ovipaddles from 4.4% to

5.2% in 1989. In addition to an actual increase in the mosquito populations, these changes also may reflect the influence of other factors such as weather or the selection of sampling sites. For example, the San Antonio Metropolitan Health District discontinued sampling at several sites in 1989 which were rarely positive in 1988. The deletion of those sites may have resulted in an apparent, rather than real, increase in mosquito abundance.

Two ovipaddles with eggs tentatively identified as Ae. (Stegomyia) spp. were collected at McConnell AFB, KS. This base was outside the known ranges of both Ae. aegypti and Ae. albopictus. Unfortunately, specimens could not be reared for specific identification. Aedes (Stegomyia) spp. eggs were identified from an additional 18 organizations; all 18 previously had recorded Ae. albopictus or Ae. aegypti or were within the range of one or both of those species.

Aedes triseriatus was found at 18 installations; all were within the known range of this species. The average number of eggs on paddles from which only Ae. triseriatus were reared was 98.0.

Lackland AFB, Randolph AFB, and Ft. Sam Houston each submitted 1 ovipaddle from which Aedes epactius Dyar and Knab was reared.

We gratefully acknowledge the help of D.D. Pinkovsky, T.L. Carpenter, and D.E. Bowles for reviewing the manuscript.

## References Cited

Darsie, R.F., dr. and R.A. Ward. 1981. Identification and geographical distribution of the mosquitoes of North America, north of Mexico. Mosq. Syst. Suppl. 1, 313 pp.

McHugn, C.P. and A.M. Vande Berg. 1989. Records of <u>Aedes albopictus</u>, <u>Ae. aegypti</u> and <u>Ae. triseriatus</u> from the U.S. Air Force ovitrapping program - 1988. J. Amer. Mosq. Control. Assoc. 5:440-443.

Moore, C.G., D.B. Francy, D.A. Eliason and T.P. Monath. 1988. Aedes albopictus in the United States: rapid spread of a potential disease vector. J. Amer. Mosq. Control Assoc. 4:381-382.

Table 1. Summary of ovipaddles processed at the Epidemiology Division, USAF School of Aerospace Medicine, during 1989.

|                     |                |            |            |            | Pc            | Positive ovitraps | itraps |             |       |             |
|---------------------|----------------|------------|------------|------------|---------------|-------------------|--------|-------------|-------|-------------|
|                     |                |            | Aedes      | es         | Ae            | Aedes             | Ae     | Aedes       | Aec   | Aedes       |
| Organization        |                | Total      | albopictus | ictus      | aeg           | aegypti           | (Steg  | (Stegomyia) | trise | triseriatus |
| and state           | County         | ovipaddles | z          | <i>≽</i> % | z             | %0                | Z      | <i>50</i>   | Z     | સ્ટ         |
| Eaker AFB, AR       | Mississippi    | 182        | 0          | 0.0        | 0             | 0.0               | -      | 0.5         | 0     | 0.0         |
| Little Rock AFB, AR | Pulaski        | 137        | 43         | 31.4       | <del></del> 4 | 0.7               | 4      | 2.9         | 7     | 5.1         |
| Dover AFB, DE       | Kent           | 9          | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 0     | 0.0         |
| , Bolling AFB, DC   | Prince Georges | 36         | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 4     | 11.1        |
| Tyndall AFB, FL     | Вау            | 2          | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 0     | 0.0         |
| Homestead AFB, FL   | Dade           | 81         | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 0     | 0.0         |
| MacDill AFB, FL     | Hillsborough   | 231        | 0          | 0.0        | 37            | 16.0              | 15     | 6.5         | 0     | 0.0         |
| Eglin AFB, FL       | 0kaloosa       | 21         | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 0     | 0.0         |
| Moody AFB, GA       | Lowndes        | 47         | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 0     | 0.0         |
| Chanute AFB, IL     | Champaign      | S          | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         | 2     | 40.0        |
| Scott AFB, IL       | St. Clair      | 14         | 0          | 0.0        | 0             | 0.0               | 1      | 7.1         | 4     | 28.6        |
| Grissom, IN         | Miami          | 14         | 0          | 0.0        | 0             | 0.0               | 0      | 0.0         |       | 7.1         |
| McConnell AFB, KS   | Sedgwick       | 54         | 0          | 0.0        | 0             | 0.0               | 2      | 3.7         | 0     | 0.0         |

Table 1. cont.

|   |                      |            |            |       |             | Pos | Positive ovitraps | raps  |             |       |             |
|---|----------------------|------------|------------|-------|-------------|-----|-------------------|-------|-------------|-------|-------------|
|   | Organization         |            | Total      | albop | albopictus  | aeg | aegypti           | (Steg | (Stegomyia) | trise | triseriatus |
|   | and state            | County     | ovipaddles | z     | <i>3</i> .6 | Z   | 96                | Z     | <i>3</i> °  | z     | 8-6         |
|   | Barksdale AFB, LA    | Bossier    | 57         | 14    | 11.3        | 0   | 0.0               | 4     | 7.0         | 2     | 3.5         |
|   | England AFB, LA      | Rapides    | 133        | 15    | 11.3        | 0   | 0.0               | 4     | 3.0         | 12    | 0.6         |
|   | Wurtsmith AFB, MI    | Iosco      | 58         | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 2     | 3.4         |
|   | Whiteman AFB, MO     | Johnson    | 49         | 0     | 0.0         | 0   | 0.0               | 7     | 2.0         | 2     | 10.2        |
|   | Columbus AFB, MS     | Lowndes    | 13         | 0     | 0.0         | -   | 7.7               | 0     | 0.0         | -     | 7.7         |
| 7 | Offutt AFB, NE       | Sarpy      | S          | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 0     | 0.0         |
|   | Holloman AFB, NM     | Otero      | 53         | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 0     | 0.0         |
|   | Pope AFB, NC         | Cumberland | 2          | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 0     | 0.0         |
|   | Seymour Johnson AFB, |            |            |       |             |     |                   |       |             |       |             |
|   | NC                   | Wayne      | 241        | 0     | 0.0         | 4   | 1.7               | 2     | 2.1         | က     | 1.2         |
|   | Vance AFB, OK        | Garfield   | 15         | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 0     | 0.0         |
|   | Altus AFB, OK        | Jackson    | 41         | 0     | 0.0         | 0   | 0.0               | -1    | 2.4         | 0     | 0.0         |
|   | Tinker AFB, OK       | Oklahoma   | 40         | 0     | 0.0         | 0   | 0.0               | 0     | 0.0         | 11    | 27.5        |
|   |                      |            |            |       |             |     |                   |       |             |       |             |

Table 1. cont.

|                      |           |            |       |            | Pos     | Positive ovitraps | raps  |             |       |             |
|----------------------|-----------|------------|-------|------------|---------|-------------------|-------|-------------|-------|-------------|
| Organization         |           | Total      | albop | albopictus | aegypti | pti               | (Steg | (Stegomyia) | trise | triseriatus |
| and state            | County    | ovipaddles | z     | 8€         | z       | 9-á               | Z     | <i>%</i>    | Z     | 88          |
| Charleston AFB, SC   | Berkeley  | 21         | 0     | 0.0        | 0       | 0.0               | 1     | 4.8         | 0     | 0.0         |
| Myrtle Beach AFB, SC | Horry     | 39         | 0     | 0.0        | 0       | 0.0               | 1     | 2.6         |       | 2.6         |
| Shaw AFB, SC         | Sumter    | 20         | 0     | 0.0        | -       | 5.0               | 0     | 0.0         | 0     | 0.0         |
| Arnold AFB, IN       | Coffee    | 69         | 7     | 10.1       | 0       | 0.0               | က     | 4.3         | 48    | 9.69        |
| San Antonio Metro    |           |            |       |            |         |                   |       |             |       |             |
| Health Dist, TX      | Bexar     | 548        | 129   | 23.5       | 83      | 15.1              | 43    | 7.8         | 2     | 0.4         |
| Brooks AF3, TX       | Bexar     | 28         | 9     | 21.4       | 0       | 0.0               | 4     | 14.3        | H     | 3.6         |
| Ft. Sam Houston, TX  | Bexar     | 10         | 2     | 20.0       | -       | 10.0              | -     | 10.0        | 2     | 20.0        |
| Lackland AFB, TX     | Bexar     | 237        | 11    | 4.6        | 7       | 3.0               | 12    | 5.1         | 2     | 0.8         |
| Kelly AFB, TX        | Bexar     | 502        | 2     | 1.0        | 7       | 3.4               | 4     | 2.0         | 0     | 0.0         |
| Randolph AFB, TX     | Bexar     | 75         | 7     | 9.3        | 9       | 8.0               | က     | 4.0         | 0     | 0.0         |
| Reese AFB T          | Lubbock   | 61         | 0     | 0.0        | 0       | 0.0               | 0     | 0.0         | 0     | 0.0         |
| Carswell AFB, TX     | Tarrant   | 9          | က     | 50.0       | -       | 16.7              | 0     | 0.0         | 0     | 0.0         |
| Goodfellow AFB, TX   | Tom Green | വ          | 0     | 0.0        | 0       | 0.0               | 0     | 0.0         | 0     | 0.0         |
| Total                |           | 2864       | 239   | 8.3        | 149     | 5.2               | 110   | 3.8         | 110   | 3.8         |
|                      |           |            |       |            |         |                   |       |             |       | -           |